

1200x2400_{mm}

MIGHTY SIZE






ILLUMINATING SPACES WITH THE GRAND SIZE
OF TILES AND ITS UNIQUE DESIGNS

WE CREATE
Colossal
PRODUCT RANGE


**1200
X
2400
mm**

MIGHTY SIZE


A floor made of large tiles makes any room up-to-date. The minimum width grout joints are used beautifully that makes your surface consistent with the rectified edges & sure gives utter elegance.



GALAXY STATUARIO (BOOK MATCH) **BOOK MATCH A+B**



GRONZA WHITE **BOOK MATCH A+B**



Versatile
solutions



Easier
to lay



Resistant to
chemical




Resistant
to loads




Resistant
to stains




Wide
range



ALTIMO WHITE (BOOK MATCH) **BOOK MATCH A+B**



COVELANO LASA (BOOK MATCH) **BOOK MATCH A+B**



1200x
2400mm

HIGH GLOSSY FINISH


9mm thickness



BROCKEN BRECIA (BOOK MATCH) BOOK MATCH A+B



BRECCIA MONET BOOK MATCH A+B



*Book Match Series



Versatile
solutions



Easier
to lay



Resistant to
chemical



Resistant
to loads




Resistant
to stains



Wide
range



CHIFFON BEIGE BOOK MATCH A+B



*Book Match Series



BETHANY BLUE BOOK MATCH A+B




1200x2400mm HIGH GLOSSY FINISH 9mm thickness



ALONZO BLUE 8 FACE BOOK MATCH



ELITE BLACK BOOK MATCH A+B



*Book Match Series



FLOOR & WALL : ALONZO BLUE

1200x
2400mm

HIGH GLOSSY FINISH

9mm thickness

*




STATUARIO BELGIA (CONTINUE)

3 FACE CONTINUE



*



STATUARIO AFYON

3 FACE CONTINUE



Versatile
solutions



Easier
to lay



Resistant to
chemical



Resistant
to loads



Resistant
to stains



Wide
range

*



PACIFIC WHITE

4 FACE CONTINUE




*



EMBER WHITE

3 FACE CONTINUE




1200x
2400mm

HIGH GLOSSY FINISH

9mm thickness



HOIST WHITE 3 FACE CONTINUE



GLORIOUS WHITE (CONTINUE) 3 FACE CONTINUE



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads




Resistant to stains



Wide range



ATLANTIC WHITE (CONTINUE) 2 FACE CONTINUE



IMPACT STATUARIO (CONTINUE) 3 FACE CONTINUE




1200x
2400mm

HIGH GLOSSY FINISH


9mm thickness



BETEL WHITE 2 RANDOM



STATUARIO GOLD 3 RANDOM



Versatile solutions



Easier to lay



Resistant to chemical




Resistant to loads



Resistant to stains



Wide range



ATLANTIC WHITE 2 RANDOM



SUMMER WHITE 4 RANDOM





WALL : ATLANTIC WHITE | FLOOR : ATLANTIC WHITE

1200x
2400mm


HIGH GLOSSY FINISH

9mm thickness



SUMMER WHITE

BOOK MATCH A+B



*Book Match Series



FLOOR & WALL : SUMMER WHITE

1200x
2400mm

HIGH GLOSSY FINISH


DECOR SERIES

9mm thickness



M 1001

1 RANDOM



*Dark High Glossy Series



WALL : M 1001

1200x
2400mm


HIGH GLOSSY FINISH

9mm thickness


- Versatile solutions
- Easier to lay
- Resistant to chemical
- Resistant to loads
- Resistant to stains
- Wide range



ALEX CALACATTA 3 RANDOM



ONYX LUXURY 3 RANDOM



ZED ONYX ICE 4 RANDOM



ZED ONYX CLASSIC 4 RANDOM



1200x
2400mm

HIGH GLOSSY FINISH

9mm thickness



REGAL NATURAL 3 RANDOM



REGAL BEIGE 3 RANDOM



Versatile
solutions



Easier
to lay



Resistant to
chemical



Resistant
to loads




Resistant
to stains



Wide
range



ELIZA BEIGE 3 RANDOM



VICTORIA BEIGE 4 RANDOM



1200x
2400mm

HIGH GLOSSY FINISH

9mm thickness



TRAVENTINO CREMA

2 RANDOM



DYNA SUPREME

2 RANDOM



FLOOR : DYNA SUPREME

1200x2400mm


HIGH GLOSSY FINISH

9mm thickness



LAVANET BEIGE

3 RANDOM



BERLIM BEIGE

2 RANDOM



- Versatile solutions
- Easier to lay
- Resistant to chemical
- Resistant to loads
- Resistant to stains
- Wide range



DEVCI CREMA

2 RANDOM



*



DEVCI GREY

2 RANDOM



*Dark High Glossy Series

1200x2400mm HIGH GLOSSY FINISH 9mm thickness



BRECCIA BEIGE 3 RANDOM



*



BRECCIA LAVA 2 RANDOM




*Dark High Glossy Series




FLOOR : BRECCIA BEIGE

*



BRECCIA CAPRAIA 4 RANDOM



*



ARENA DUNE 2 RANDOM



Versatile
solutions



Easier
to lay



Resistant to
chemical



Resistant
to loads




Resistant
to stains




Wide
range

*




PORTORO GOLD 2 RANDOM



*




PORTORO 2 RANDOM





SONATA WHITE

3 RANDOM




*



SONATA BRONZE

3 RANDOM



*Dark High Glossy Series

- Versatile solutions
- Easier to lay
- Resistant to chemical
- Resistant to loads
- Resistant to stains
- Wide range

*



TITANIUM BROWN

3 RANDOM



TITANIUM NATURAL

3 RANDOM



*Dark High Glossy Series

1200x
2400mm

HIGH GLOSSY FINISH

9mm thickness



BIANCO LASA

2 RANDOM



*



LEVANTO BROWN

4 RANDOM



Versatile
solutions



Easier
to lay



Resistant to
chemical



Resistant
to loads



Resistant
to stains



Wide
range



LEVANTO LIGHT

4 RANDOM




*



LEVANTO NATURAL

4 RANDOM



*Dark High Glossy Series

*Dark High Glossy Series

1200x
2400mm

HIGH GLOSSY FINISH

9mm thickness




ARMANI BEIGE 2 RANDOM



*



ARMANI GOLD 2 RANDOM



*Dark High Glossy Series



Versatile
solutions



Easier
to lay



Resistant to
chemical



Resistant
to loads



Resistant
to stains



Wide
range



ARMANI GREY 2 RANDOM




*Dark High Glossy Series

*



ARMANI GRIS 2 RANDOM



*




WALL : ARMANI BEIGE & ARMANI GOLD | FLOOR : ARMANI BEIGE



1200x
2400mm

HIGH GLOSSY FINISH


9mm thickness



FOREST BROWN 2 RANDOM



TOPAZ BROWN 1 RANDOM



*Dark High Glossy Series



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads



Resistant to stains




Wide range




PATAGONIA 3 RANDOM



*Dark High Glossy Series



EXOTIC WHITE 2 RANDOM



1200x
2400mm

HIGH GLOSSY FINISH


9mm thickness



TURKE LANA 1 RANDOM



CRISTAN STONE 2 RANDOM



*Dark High Glossy Series



Versatile solutions



Easier to lay



Resistant to chemical




Resistant to loads




Resistant to stains



Wide range



ICE BERG BLUE 3 RANDOM



*Dark High Glossy Series



ARISTONE CEROBE 2 FACE CONTINUE



1200x
2400mm

HIGH GLOSSY FINISH

9mm thickness




TRAVENTINO BEIGE 1 RANDOM



*



SEMOND PAUL 2 RANDOM



Versatile
solutions



Easier
to lay



Resistant to
chemical



Resistant
to loads




Resistant
to stains




Wide
range


*




TRIESTA NOIR 3 RANDOM



*




RAINBOW BROWN 2 RANDOM



*Dark High Glossy Series


*Dark High Glossy Series




BLACK RIVER4 RANDOM




AZUL CIELO3 RANDOM




- Versatile solutions
- Easier to lay
- Resistant to chemical
- Resistant to loads
- Resistant to stains
- Wide range



NERO MARQUINA3 RANDOM



SAHARA BLACK2 RANDOM





FLOOR : AZUL CIELO

1200x
2400mm

RUSTIC MATT FINISH

➡ 9mm thickness



SUMMER WHITE 4 RANDOM



REGAL NATURAL 3 RANDOM



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads



Resistant to stains



Wide range



ORION CREMA 4 RANDOM



ORION WHITE 4 RANDOM




1200x
2400mm

RUSTIC MATT FINISH


9mm thickness



RIZ CEDAR 2 RANDOM



RIZ SILVER 2 RANDOM



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads




Resistant to stains




Wide range



CAPRON CREMA 3 RANDOM



CAPRON GREY 3 RANDOM



1200x
2400mm

RUSTIC MATT FINISH

9mm thickness



MEXXO SIENNA 4 RANDOM



MEXXO LIGHT 4 RANDOM



Versatile
solutions



Easier
to lay



Resistant to
chemical



Resistant
to loads



Resistant
to stains



Wide
range



TUNA ROCK ICE 2 RANDOM




TUNA ROCK GREY 2 RANDOM



1200x
2400mm

RUSTIC MATT FINISH

9mm thickness



SENTILIA BROWN 1 RANDOM



DUST 4 RANDOM



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads



Resistant to stains



Wide range



MILANO SILVER 3 RANDOM




MILANO GREY 3 RANDOM



1200x
2400mm



RUSTIC MATT FINISH

➔ 9mm thickness




CORTEX CEDAR

2 RANDOM



CORTEX AZURE

2 RANDOM



Versatile
solutions



Easier
to lay



Resistant to
chemical



Resistant
to loads



Resistant
to stains



Wide
range



SANDUNE CAFE

1 RANDOM




ROOST WOOD

1 RANDOM





MULBERRY WOOD DECOR 1 RANDOM



LENOX WOOD 2 RANDOM



Versatile
solutions



Easier
to lay



Resistant to
chemical



Resistant
to loads



Resistant
to stains



Wide
range



MEPAL WOOD BROWN 5 RANDOM



MEPAL WOOD 5 RANDOM



1200x
2400mm

CARVING FINISH

9mm thickness



BURBERRY BEIGE 2 RANDOM



BURBERRY BROWN 2 RANDOM



Versatile
solutions



Easier
to lay



Resistant to
chemical



Resistant
to loads



Resistant
to stains



Wide
range



BURBERRY GREY 2 RANDOM



1200x
2400mm

CARVING FINISH

9mm thickness



STUCCO BEIGE 2 RANDOM



CORTEN BEIGE 2 RANDOM



FLOOR : STUCCO BEIGE



1200x
2400mm

CARVING FINISH


9mm thickness



RUBY QUARTZ SEAL 4 RANDOM



RUBY QUARTZ ASH 4 RANDOM



Versatile
solutions



Easier
to lay



Resistant to
chemical



Resistant
to loads



Resistant
to stains




Wide
range



LURENT BROWN 5 RANDOM



LURENT BLUE 5 RANDOM



1200x
2400mm

RICH SILK FINISH

9mm thickness





BRECCIA MARINO LATTE

2 RANDOM




BRECCIA MARINO NATURAL

2 RANDOM



BRECCIA MARINO ASH

2 RANDOM



Versatile
solutions



Easier
to lay



Resistant to
chemical



Resistant
to loads



Resistant
to stains



Wide
range

TECHNICAL SPECIFICATION OF SLAB VITRIFIED TILE

TEST DISCRIPTION			
CHARACTERISTIC	TEST METHOD	STANDARD AS PER ISO-13006/EN14411 GROUP	SLAB VALUE
Deviation in Length	IS-13630-1	±0.50%	±0.10%
Deviation in Width	IS-13630-1	±0.50%	±0.10%
Deviation in Thickness	IS-13630-1	±5.00%	±5.00%
Straightness of Sides	IS-13630-1	±0.50%	±0.10%
Rectangularity	IS-13630-1	±0.60%	±0.15%
Surface Flatness	IS-13630-1	±0.50%	±0.20%
Surface Quality	IS-13630-1	Min. 95%	Min. 95%
PHYSICAL PROPERTIES			
Water Absorption	IS-13630-2	≤0.50%	≤0.50%
Modulus of Rapture(N/mm2)	IS-13630-6	Min. 35N/mm²	Min. 37N/mm²
Breaking Strength(N)	IS-13630-6	< 7.5mm-700N ≥ 7.5mm-1300N	≤ 7.5mm-1000N ≥ 7.5mm-1400N
Moisture Expansion(mm/m)	IS-13630-3	0.06 Max	0.01 Max
Scratch Hardness of Surface	IS-13630-13	Min. 4	Min. 4
Resistance of Surface Abrasion(Glazed Tiles)	IS-13630-11	As per Mfg.	Class II Min.
Co-Efficent of Linear Thermal Expansion	IS-13630-4	As per Mfg.	6.5x10 ⁻⁶ Max.
Thermal Shock Resistance	IS-13630-5	10 Cycles Min.	10 Cycles Min.
Crazing Resistance	IS-13630-9	As per Mfg.	5 Cycles at 7.5Bar Pressure
Impact Resistance-Coefficent of Restitution	IS-13630-14	As per Mfg.	0.55 Min
Frost Resistance	IS-13630-10	As per Mfg.	No Damage
Bulk Density (g/cc)	IS-13630-2	>2.0 gm/cc	>2.0 gm/cc
CHEMICAL PROPERTIES			
Resistance of Staining	IS-13630-8	Class I Min.	Class II
Resistance of Household Chemicals	IS-13630-8	Class AA Min.	Class AA
Resistance to Acids & Alkalis	IS-13630-8	As per Mfg.	Min. Class A
Slip Resistance	150-13006/EN1444 Group B A	As per Mfg.	As per Mfg.

PACKING DETAIL

No.	Size	Thickness (approx.)	Pieces/Box	Area/Box	Wt./Box (approx.)
01	1200x2400mm	9mm	1 pcs.	2.88 sq. mtr.	60 kg

