




Refreshing Yet Timelessly Classic Ambiance

Classic Ambiance

600
x600mm




Size :

600×600mm


Finish :

GLOSSY FINISH


Thickness :



The pattern of this surface creates a symmetry that complements the ambiance and make them extraordinary.



Discover the allure of book-match tiles, where a simple flip reveals a breathtaking symmetrical arrangement, turning ordinary floors and walls into works of art.



3D SERIES

Welcome to the mesmerizing world of 3D Tiles,
where imagination comes to life in every
dimension, transporting you to extraordinary
realms of wonder and adventure


SUPERIOR FEATURES OF DIGITAL FULLBODY TILES

The SyncStone Collection features strength and resilience redefining features ideal to stand against the modern lifestyle usage and atrocities of everyday use.



SOLID BODY

Durable and solid body due to the homogenous fullbody composition of the tiles.



EASY TO CLEAN

Resists stains, scratches, and more requiring effortless regular cleaning only.




ECOLOGICAL & SUSTAINABLE

The collection is a sustainable alternative to marble flooring making it ecological.



ZERO MAINTENANCE

The surfaces are sturdy and resilient requiring no special maintenance.



HIGH STRENGTH

The fullbody composition boasts high strength and resistance ideal for high traffic also.



LOW WATER ABSORPTION

Exceptionally non-porous surface and revolutionary digital print make surface low water absorbing.

Explore extensive application indoors and outdoors with the aesthetic and resilient qualities of the exclusive collection.

APPLICATION AREA



KITCHEN



LIVING ROOM



CORPORATE OFFICES



HOTEL & RESTOURANTS




BATHROOM



PUBLIC PLACE

3D-01

Size : 600x600mm
Finish : Glossy



FEATURES

- | | | | |
|--|---|--|--|
| 
EASY
MAINTENANCE | 
DIMENSIONAL
STABILITY | 
HIGH
STRENGTH | 
WATER
RESISTANT |
| 
CHEMICAL
RESISTANT | 
IMPACT
RESISTANCE | 
FIRE
RESISTANT | 
HYGIENIC
SURFACE |

MINIMUM
3MM SPACE
RECOMMEND 




3D-03

3D-03



Size : **600x600mm**
Finish : **Glossy**



FEATURES



EASY
MAINTENANCE



DIMENSIONAL
STABILITY



HIGH
STRENGTH



WATER
RESISTANT



CHEMICAL
RESISTANT



IMPACT
RESISTANCE



FIRE
RESISTANT



HYGIENIC
SURFACE





3D-09

3D-09



Size : 600x600mm
Finish : Glossy



FEATURES



- | | | | |
|--|---|--|--|
| 
EASY
MAINTENANCE | 
DIMENSIONAL
STABILITY | 
HIGH
STRENGTH | 
WATER
RESISTANT |
| 
CHEMICAL
RESISTANT | 
IMPACT
RESISTANCE | 
FIRE
RESISTANT | 
HYGIENIC
SURFACE |

MINIMUM
3MM SPACE
RECOMMEND 

3D-11



Size : **600x600mm**
Finish : **Glossy**



FEATURES



EASY
MAINTENANCE



DIMENSIONAL
STABILITY



HIGH
STRENGTH



WATER
RESISTANT



CHEMICAL
RESISTANT



IMPACT
RESISTANCE



FIRE
RESISTANT



HYGIENIC
SURFACE





3D-12

3D-12



Size : **600x600mm**
Finish : **Glossy**



■ FEATURES



- | | | | |
|--|---|--|--|
| 
EASY
MAINTENANCE | 
DIMENSIONAL
STABILITY | 
HIGH
STRENGTH | 
WATER
RESISTANT |
| 
CHEMICAL
RESISTANT | 
IMPACT
RESISTANCE | 
FIRE
RESISTANT | 
HYGIENIC
SURFACE |

MINIMUM
3MM SPACE
RECOMMEND 

3D-13



Size : **600x600mm**
Finish : **Glossy**



■ FEATURES



EASY
MAINTENANCE



DIMENSIONAL
STABILITY



HIGH
STRENGTH



WATER
RESISTANT



CHEMICAL
RESISTANT



IMPACT
RESISTANCE



FIRE
RESISTANT




HYGIENIC
SURFACE

3D-14



Size : **600x600mm**
Finish : **Glossy**



■ FEATURES

- | | | | |
|--|---|--|--|
| 
EASY
MAINTENANCE | 
DIMENSIONAL
STABILITY | 
HIGH
STRENGTH | 
WATER
RESISTANT |
| 
CHEMICAL
RESISTANT | 
IMPACT
RESISTANCE | 
FIRE
RESISTANT | 
HYGIENIC
SURFACE |


MINIMUM
3MM SPACE
RECOMMEND 



3D-18

3D-18

Size : **600x600mm**
Finish : **Glossy**



FEATURES



EASY
MAINTENANCE



DIMENSIONAL
STABILITY



HIGH
STRENGTH



WATER
RESISTANT



CHEMICAL
RESISTANT



IMPACT
RESISTANCE



FIRE
RESISTANT





HYGIENIC
SURFACE



3D-28



Size : **600x600mm**
Finish : **Glossy**



■ FEATURES

- | | | | |
|--|---|--|--|
| 
EASY
MAINTENANCE | 
DIMENSIONAL
STABILITY | 
HIGH
STRENGTH | 
WATER
RESISTANT |
| 
CHEMICAL
RESISTANT | 
IMPACT
RESISTANCE | 
FIRE
RESISTANT | 
HYGIENIC
SURFACE |

MINIMUM
3MM SPACE
RECOMMEND 

3D-3●

Size : **600x600mm**
Finish : **Glossy**



FEATURES



EASY
MAINTENANCE



DIMENSIONAL
STABILITY



HIGH
STRENGTH



WATER
RESISTANT



CHEMICAL
RESISTANT



IMPACT
RESISTANCE



FIRE
RESISTANT





HYGIENIC
SURFACE





3D-31

Size : **600x600mm**
Finish : **Glossy**



■ FEATURES



EASY
MAINTENANCE



DIMENSIONAL
STABILITY



HIGH
STRENGTH



WATER
RESISTANT



CHEMICAL
RESISTANT



IMPACT
RESISTANCE



FIRE
RESISTANT




HYGIENIC
SURFACE

MINIMUM
3MM SPACE
RECOMMEND 

3D-32



Size : **600x600mm**
Finish : **Glossy**



■ FEATURES



EASY
MAINTENANCE



DIMENSIONAL
STABILITY



HIGH
STRENGTH



WATER
RESISTANT



CHEMICAL
RESISTANT




IMPACT
RESISTANCE



FIRE
RESISTANT




HYGIENIC
SURFACE






3D-34

Size : 600x600mm
Finish : Glossy



FEATURES



3D-35

Size : 600x600mm
Finish : Glossy

FEATURES

- 

EASY
MAINTENANCE
- 

DIMENSIONAL
STABILITY
- 

HIGH
STRENGTH
- 


WATER
RESISTANT
- 

CHEMICAL
RESISTANT
- 

IMPACT
RESISTANCE
- 

FIRE
RESISTANT
- 


HYGIENIC
SURFACE






3D-36

Size : 600x600mm
Finish : Glossy



FEATURES


- | | | | |
|--|---|--|--|
| 
EASY
MAINTENANCE | 
DIMENSIONAL
STABILITY | 
HIGH
STRENGTH | 
WATER
RESISTANT |
| 
CHEMICAL
RESISTANT | 
IMPACT
RESISTANCE | 
FIRE
RESISTANT | 
HYGIENIC
SURFACE |





3D-37

Size : 600x600mm
Finish : Glossy



FEATURES



EASY
MAINTENANCE



DIMENSIONAL
STABILITY



HIGH
STRENGTH



WATER
RESISTANT



CHEMICAL
RESISTANT



IMPACT
RESISTANCE



FIRE
RESISTANT




HYGIENIC
SURFACE



3D-38

Size : 600x600mm
Finish : Glossy



FEATURES



EASY
MAINTENANCE



DIMENSIONAL
STABILITY



HIGH
STRENGTH



WATER
RESISTANT



CHEMICAL
RESISTANT




IMPACT
RESISTANCE



FIRE
RESISTANT



HYGIENIC
SURFACE




MINIMUM
3MM SPACE
RECOMMEND 

3D-39



Size : **600x600mm**
Finish : **Glossy**



■ FEATURES



EASY
MAINTENANCE



DIMENSIONAL
STABILITY



HIGH
STRENGTH



WATER
RESISTANT



CHEMICAL
RESISTANT



IMPACT
RESISTANCE



FIRE
RESISTANT




HYGIENIC
SURFACE





3D-40

Size : 600x600mm
Finish : Glossy



FEATURES



EASY
MAINTENANCE



DIMENSIONAL
STABILITY



HIGH
STRENGTH



WATER
RESISTANT



CHEMICAL
RESISTANT




IMPACT
RESISTANCE



FIRE
RESISTANT



HYGIENIC
SURFACE



MINIMUM
3MM SPACE
RECOMMEND






3D-41



Size : **600x600mm**
Finish : **Glossy**



FEATURES



EASY
MAINTENANCE



DIMENSIONAL
STABILITY



HIGH
STRENGTH



WATER
RESISTANT



CHEMICAL
RESISTANT



IMPACT
RESISTANCE



FIRE
RESISTANT



HYGIENIC
SURFACE

3D-42

Size : 600x600mm
Finish : Glossy

■ FEATURES

- 

EASY
MAINTENANCE
- 

DIMENSIONAL
STABILITY
- 

HIGH
STRENGTH
- 


WATER
RESISTANT
- 

CHEMICAL
RESISTANT
- 

IMPACT
RESISTANCE
- 

FIRE
RESISTANT
- 

HYGIENIC
SURFACE






3D-43

3D-43

Size : **600x600mm**
Finish : **Glossy**



FEATURES



EASY
MAINTENANCE



DIMENSIONAL
STABILITY



HIGH
STRENGTH



WATER
RESISTANT



CHEMICAL
RESISTANT



IMPACT
RESISTANCE



FIRE
RESISTANT




HYGIENIC
SURFACE



3D-44



Size : **600x600mm**
Finish : **Glossy**




FEATURES

- | | | | |
|--|---|--|--|
| 
EASY
MAINTENANCE | 
DIMENSIONAL
STABILITY | 
HIGH
STRENGTH | 
WATER
RESISTANT |
| 
CHEMICAL
RESISTANT | 
IMPACT
RESISTANCE | 
FIRE
RESISTANT | 
HYGIENIC
SURFACE |



3D-45

Size : 600x600mm
Finish : Glossy



FEATURES



EASY
MAINTENANCE



DIMENSIONAL
STABILITY



HIGH
STRENGTH



WATER
RESISTANT



CHEMICAL
RESISTANT



IMPACT
RESISTANCE



FIRE
RESISTANT




HYGIENIC
SURFACE



3D-46


3D-46

Size : 600x600mm
Finish : Glossy



FEATURES

- | | | | |
|--|---|--|--|
| 
EASY
MAINTENANCE | 
DIMENSIONAL
STABILITY | 
HIGH
STRENGTH | 
WATER
RESISTANT |
| 
CHEMICAL
RESISTANT | 
IMPACT
RESISTANCE | 
FIRE
RESISTANT | 
HYGIENIC
SURFACE |






3D-49

3D-49

Size : **600x600mm**
Finish : **Glossy**



FEATURES



EASY
MAINTENANCE



DIMENSIONAL
STABILITY



HIGH
STRENGTH



WATER
RESISTANT



CHEMICAL
RESISTANT




IMPACT
RESISTANCE



FIRE
RESISTANT





HYGIENIC
SURFACE



3D-5●

Size : **600x600mm**
Finish : **Glossy**



■ FEATURES

- | | | | |
|--|---|--|--|
| 
EASY
MAINTENANCE | 
DIMENSIONAL
STABILITY | 
HIGH
STRENGTH | 
WATER
RESISTANT |
| 
CHEMICAL
RESISTANT | 
IMPACT
RESISTANCE | 
FIRE
RESISTANT | 
HYGIENIC
SURFACE |



MINIMUM
3MM SPACE
RECOMMEND 



3D-51



Size : **600x600mm**
Finish : **Glossy**



■ FEATURES



EASY
MAINTENANCE



DIMENSIONAL
STABILITY



HIGH
STRENGTH



WATER
RESISTANT



CHEMICAL
RESISTANT



IMPACT
RESISTANCE



FIRE
RESISTANT




HYGIENIC
SURFACE



3D-52

3D-52

Size : **600x600mm**
Finish : **Glossy**



FEATURES



EASY
MAINTENANCE



DIMENSIONAL
STABILITY



HIGH
STRENGTH



WATER
RESISTANT



CHEMICAL
RESISTANT




IMPACT
RESISTANCE



FIRE
RESISTANT




HYGIENIC
SURFACE



MINIMUM
3MM SPACE
RECOMMEND 

3D-53

Size : **600x600mm**
Finish : **Glossy**



■ FEATURES



EASY
MAINTENANCE



DIMENSIONAL
STABILITY



HIGH
STRENGTH



WATER
RESISTANT



CHEMICAL
RESISTANT




IMPACT
RESISTANCE



FIRE
RESISTANT




HYGIENIC
SURFACE



3D-54

Size : 600x600mm
Finish : Glossy



FEATURES



EASY
MAINTENANCE



DIMENSIONAL
STABILITY



HIGH
STRENGTH



WATER
RESISTANT



CHEMICAL
RESISTANT




IMPACT
RESISTANCE



FIRE
RESISTANT



HYGIENIC
SURFACE




MINIMUM
3MM SPACE
RECOMMEND 




3D-59

Size : **600x600mm**
Finish : **Glossy**



FEATURES



- | | | | |
|--|---|--|--|
| 
EASY
MAINTENANCE | 
DIMENSIONAL
STABILITY | 
HIGH
STRENGTH | 
WATER
RESISTANT |
| 
CHEMICAL
RESISTANT | 
IMPACT
RESISTANCE | 
FIRE
RESISTANT | 
HYGIENIC
SURFACE |



3D-60

Size : 600x600mm

Finish : Glossy



FEATURES



EASY
MAINTENANCE



DIMENSIONAL
STABILITY



HIGH
STRENGTH



WATER
RESISTANT



CHEMICAL
RESISTANT



IMPACT
RESISTANCE



FIRE
RESISTANT




HYGIENIC
SURFACE

MINIMUM
3MM SPACE
RECOMMEND 

3D-61

Size : **600x600mm**
Finish : **Glossy**



FEATURES

- | | | | |
|--|---|--|--|
| 
EASY
MAINTENANCE | 
DIMENSIONAL
STABILITY | 
HIGH
STRENGTH | 
WATER
RESISTANT |
| 
CHEMICAL
RESISTANT | 
IMPACT
RESISTANCE | 
FIRE
RESISTANT | 
HYGIENIC
SURFACE |




3D-62

3D-62

Size : 600x600mm

Finish : Glossy



FEATURES



EASY
MAINTENANCE



DIMENSIONAL
STABILITY



HIGH
STRENGTH



WATER
RESISTANT



CHEMICAL
RESISTANT



IMPACT
RESISTANCE



FIRE
RESISTANT




HYGIENIC
SURFACE




MINIMUM
3MM SPACE
RECOMMEND 

3D-63

Size : **600x600mm**
Finish : **Glossy**




FEATURES



3D-65

Size : 600x600mm
Finish : Glossy




FEATURES



3D-66

Size : **600x600mm**
Finish : **Glossy**



FEATURES



EASY
MAINTENANCE



DIMENSIONAL
STABILITY



HIGH
STRENGTH



WATER
RESISTANT



CHEMICAL
RESISTANT



IMPACT
RESISTANCE



FIRE
RESISTANT




HYGIENIC
SURFACE





3D-68

Size : **600x600mm**
Finish : **Glossy**



FEATURES



EASY
MAINTENANCE



DIMENSIONAL
STABILITY



HIGH
STRENGTH



WATER
RESISTANT



CHEMICAL
RESISTANT



IMPACT
RESISTANCE



FIRE
RESISTANT





HYGIENIC
SURFACE

MINIMUM
3MM SPACE
RECOMMEND 

3D-7●

Size : 600x600mm
Finish : Glossy



FEATURES



EASY
MAINTENANCE



DIMENSIONAL
STABILITY



HIGH
STRENGTH



WATER
RESISTANT



CHEMICAL
RESISTANT



IMPACT
RESISTANCE




FIRE
RESISTANT



HYGIENIC
SURFACE

3D-76

Size : **600x600mm**
Finish : **Glossy**



FEATURES



EASY
MAINTENANCE



DIMENSIONAL
STABILITY



HIGH
STRENGTH



WATER
RESISTANT



CHEMICAL
RESISTANT



IMPACT
RESISTANCE



FIRE
RESISTANT



HYGIENIC
SURFACE



MINIMUM
3MM SPACE
RECOMMEND 




3D-77

3D-77



Size : **600x600mm**
Finish : **Glossy**



FEATURES


- | | | | |
|--|---|--|--|
| 
EASY
MAINTENANCE | 
DIMENSIONAL
STABILITY | 
HIGH
STRENGTH | 
WATER
RESISTANT |
| 
CHEMICAL
RESISTANT | 
IMPACT
RESISTANCE | 
FIRE
RESISTANT | 
HYGIENIC
SURFACE |



3D-78



Size : **600x600mm**
Finish : **Glossy**



■ FEATURES



EASY
MAINTENANCE



DIMENSIONAL
STABILITY



HIGH
STRENGTH



WATER
RESISTANT



CHEMICAL
RESISTANT



IMPACT
RESISTANCE



FIRE
RESISTANT



HYGIENIC
SURFACE




MINIMUM
3MM SPACE
RECOMMEND



3D-79



Size : **600x600mm**
Finish : **Glossy**



■ FEATURES



EASY
MAINTENANCE



DIMENSIONAL
STABILITY



HIGH
STRENGTH



WATER
RESISTANT



CHEMICAL
RESISTANT



IMPACT
RESISTANCE



FIRE
RESISTANT




HYGIENIC
SURFACE



3D-80




Size : **600x600mm**
Finish : **Glossy**



FEATURES

- | | | | |
|--|---|--|--|
| 
EASY
MAINTENANCE | 
DIMENSIONAL
STABILITY | 
HIGH
STRENGTH | 
WATER
RESISTANT |
| 
CHEMICAL
RESISTANT | 
IMPACT
RESISTANCE | 
FIRE
RESISTANT | 
HYGIENIC
SURFACE |




MINIMUM
3MM SPACE
RECOMMEND 

3D-82



Size : **600x600mm**
Finish : **Glossy**



■ FEATURES



EASY
MAINTENANCE



DIMENSIONAL
STABILITY



HIGH
STRENGTH



WATER
RESISTANT



CHEMICAL
RESISTANT



IMPACT
RESISTANCE



FIRE
RESISTANT




HYGIENIC
SURFACE



3D-84

Size : **600x600mm**
Finish : **Glossy**



FEATURES



EASY
MAINTENANCE



DIMENSIONAL
STABILITY



HIGH
STRENGTH



WATER
RESISTANT



CHEMICAL
RESISTANT



IMPACT
RESISTANCE



FIRE
RESISTANT



HYGIENIC
SURFACE



MINIMUM
3MM SPACE
RECOMMEND 




3D-86

3D-86



Size : **600x600mm**
Finish : **Glossy**



FEATURES



EASY
MAINTENANCE



DIMENSIONAL
STABILITY



HIGH
STRENGTH



WATER
RESISTANT



CHEMICAL
RESISTANT



IMPACT
RESISTANCE



FIRE
RESISTANT





HYGIENIC
SURFACE



3D-88

Size : 600x600mm
Finish : Glossy



FEATURES



EASY
MAINTENANCE



DIMENSIONAL
STABILITY



HIGH
STRENGTH



WATER
RESISTANT



CHEMICAL
RESISTANT



IMPACT
RESISTANCE



FIRE
RESISTANT



HYGIENIC
SURFACE

MINIMUM
3MM SPACE
RECOMMEND 

3D-89



Size : **600x600mm**
Finish : **Glossy**



■ FEATURES



EASY
MAINTENANCE



DIMENSIONAL
STABILITY



HIGH
STRENGTH



WATER
RESISTANT



CHEMICAL
RESISTANT



IMPACT
RESISTANCE





FIRE
RESISTANT



HYGIENIC
SURFACE

3D-ENDLESS-EYES

Size : **600x600mm**
Finish : **Glossy**



FEATURES

- | | | | |
|--|---|--|--|
| 
EASY
MAINTENANCE | 
DIMENSIONAL
STABILITY | 
HIGH
STRENGTH | 
WATER
RESISTANT |
| 
CHEMICAL
RESISTANT | 
IMPACT
RESISTANCE | 
FIRE
RESISTANT | 
HYGIENIC
SURFACE |



MINIMUM
3MM SPACE
RECOMMEND 



3D-G LD-HEXA

3D-G LD-HEXA

Size : 600x600mm
Finish : Glossy



FEATURES



EASY
MAINTENANCE



DIMENSIONAL
STABILITY



HIGH
STRENGTH



WATER
RESISTANT



CHEMICAL
RESISTANT



IMPACT
RESISTANCE



FIRE
RESISTANT





HYGIENIC
SURFACE

3D-STERE -ARENA



Size : **600x600mm**

Finish : **Glossy**



■ FEATURES



EASY
MAINTENANCE



DIMENSIONAL
STABILITY



HIGH
STRENGTH



WATER
RESISTANT



CHEMICAL
RESISTANT



IMPACT
RESISTANCE



FIRE
RESISTANT



HYGIENIC
SURFACE

MINIMUM
3MM SPACE
RECOMMEND






BLUE BALLS

BLUE BALLS



Size : **600x600mm**
Finish : **Glossy**





FEATURES

- | | | | |
|--|---|--|--|
| 
EASY
MAINTENANCE | 
DIMENSIONAL
STABILITY | 
HIGH
STRENGTH | 
WATER
RESISTANT |
| 
CHEMICAL
RESISTANT | 
IMPACT
RESISTANCE | 
FIRE
RESISTANT | 
HYGIENIC
SURFACE |



CRYSTA WHITE

Size : **600x600mm**
Finish : **Glossy**




FEATURES

- | | | | |
|--|---|--|--|
| 
EASY
MAINTENANCE | 
DIMENSIONAL
STABILITY | 
HIGH
STRENGTH | 
WATER
RESISTANT |
| 
CHEMICAL
RESISTANT | 
IMPACT
RESISTANCE | 
FIRE
RESISTANT | 
HYGIENIC
SURFACE |

MINIMUM
3MM SPACE
RECOMMEND 

DIMENSIONAL SQUARE

Size : 600x600mm
Finish : Glossy




FEATURES

- | | | | |
|--|---|--|--|
| 
EASY
MAINTENANCE | 
DIMENSIONAL
STABILITY | 
HIGH
STRENGTH | 
WATER
RESISTANT |
| 
CHEMICAL
RESISTANT | 
IMPACT
RESISTANCE | 
FIRE
RESISTANT | 
HYGIENIC
SURFACE |



EVITA FL S

Size : 600x600mm
Finish : Glossy



FEATURES

- | | | | |
|--|---|--|--|
| 
EASY
MAINTENANCE | 
DIMENSIONAL
STABILITY | 
HIGH
STRENGTH | 
WATER
RESISTANT |
| 
CHEMICAL
RESISTANT | 
IMPACT
RESISTANCE | 
FIRE
RESISTANT | 
HYGIENIC
SURFACE |






FL RA BLUE

FL RA BLUE



Size : 600x600mm

Finish : Glossy



FEATURES



EASY
MAINTENANCE



DIMENSIONAL
STABILITY



HIGH
STRENGTH



WATER
RESISTANT



CHEMICAL
RESISTANT



IMPACT
RESISTANCE



FIRE
RESISTANT




HYGIENIC
SURFACE



FL RA WHITE

Size : **600x600mm**
Finish : **Glossy**



FEATURES

- | | | | |
|--|---|--|--|
| 
EASY
MAINTENANCE | 
DIMENSIONAL
STABILITY | 
HIGH
STRENGTH | 
WATER
RESISTANT |
| 
CHEMICAL
RESISTANT | 
IMPACT
RESISTANCE | 
FIRE
RESISTANT | 
HYGIENIC
SURFACE |

MINIMUM
3MM SPACE
RECOMMEND 



GREY FL S

GREY FL S

Size : 600x600mm
Finish : Glossy



FEATURES

- | | | | |
|--|---|--|--|
| 
EASY
MAINTENANCE | 
DIMENSIONAL
STABILITY | 
HIGH
STRENGTH | 
WATER
RESISTANT |
| 
CHEMICAL
RESISTANT | 
IMPACT
RESISTANCE | 
FIRE
RESISTANT | 
HYGIENIC
SURFACE |





INFINITY WHITE

INFINITY WHITE

Size : **600x600mm**

Finish : **Glossy**



FEATURES



EASY
MAINTENANCE



DIMENSIONAL
STABILITY



HIGH
STRENGTH



WATER
RESISTANT



CHEMICAL
RESISTANT



IMPACT
RESISTANCE



FIRE
RESISTANT





HYGIENIC
SURFACE

MINIMUM
3MM SPACE
RECOMMEND 

IRISH WHITE

Size : **600x600mm**
Finish : **Glossy**



FEATURES

- | | | | |
|--|---|--|--|
| 
EASY
MAINTENANCE | 
DIMENSIONAL
STABILITY | 
HIGH
STRENGTH | 
WATER
RESISTANT |
| 
CHEMICAL
RESISTANT | 
IMPACT
RESISTANCE | 
FIRE
RESISTANT | 
HYGIENIC
SURFACE |




KRYSTALO BLUE

KRYSTAL BLUE



Size : 600x600mm
Finish : Glossy



 FEATURES

- 

EASY
MAINTENANCE
- 

DIMENSIONAL
STABILITY
- 

HIGH
STRENGTH
- 

WATER
RESISTANT
- 

CHEMICAL
RESISTANT
- 

IMPACT
RESISTANCE
- 

FIRE
RESISTANT
- 

HYGIENIC
SURFACE

MINIMUM
3MM SPACE
RECOMMEND



KRYSTAL GREY

Size : 600x600mm
Finish : Glossy



FEATURES

- 

EASY
MAINTENANCE
- 

DIMENSIONAL
STABILITY
- 

HIGH
STRENGTH
- 

WATER
RESISTANT
- 

CHEMICAL
RESISTANT
- 

IMPACT
RESISTANCE
- 

FIRE
RESISTANT
- 

HYGIENIC
SURFACE






M **D WHITE**

M D WHITE

Size : **600x600mm**
Finish : **Glossy**




FEATURES

- | | | | |
|--|---|--|--|
| 
EASY
MAINTENANCE | 
DIMENSIONAL
STABILITY | 
HIGH
STRENGTH | 
WATER
RESISTANT |
| 
CHEMICAL
RESISTANT | 
IMPACT
RESISTANCE | 
FIRE
RESISTANT | 
HYGIENIC
SURFACE |

MINIMUM
3MM SPACE
RECOMMEND 


M N BLACK

Size : **600x600mm**
Finish : **Glossy**




■ FEATURES

- | | | | |
|--|---|--|--|
| 
EASY
MAINTENANCE | 
DIMENSIONAL
STABILITY | 
HIGH
STRENGTH | 
WATER
RESISTANT |
| 
CHEMICAL
RESISTANT | 
IMPACT
RESISTANCE | 
FIRE
RESISTANT | 
HYGIENIC
SURFACE |




M **N BR** **WN** 

Size : **600x600mm**
Finish : **Glossy**



FEATURES


- | | | | |
|--|---|--|--|
| 
EASY
MAINTENANCE | 
DIMENSIONAL
STABILITY | 
HIGH
STRENGTH | 
WATER
RESISTANT |
| 
CHEMICAL
RESISTANT | 
IMPACT
RESISTANCE | 
FIRE
RESISTANT | 
HYGIENIC
SURFACE |



MINIMUM
3MM SPACE
RECOMMEND 

M N LIGHT

Size : **600x600mm**
Finish : **Glossy**



■ FEATURES



EASY
MAINTENANCE



DIMENSIONAL
STABILITY



HIGH
STRENGTH



WATER
RESISTANT



CHEMICAL
RESISTANT



IMPACT
RESISTANCE



FIRE
RESISTANT



HYGIENIC
SURFACE



NATURAL FL WER

NATURAL FL WER

Size : **600x600mm**
Finish : **Glossy**



FEATURES


- | | | | |
|--|---|--|--|
| 
EASY
MAINTENANCE | 
DIMENSIONAL
STABILITY | 
HIGH
STRENGTH | 
WATER
RESISTANT |
| 
CHEMICAL
RESISTANT | 
IMPACT
RESISTANCE | 
FIRE
RESISTANT | 
HYGIENIC
SURFACE |



MINIMUM
3MM SPACE
RECOMMEND 

PEARL WHITENEW

Size : **600x600mm**
Finish : **Glossy**



FEATURES



EASY
MAINTENANCE



DIMENSIONAL
STABILITY



HIGH
STRENGTH



WATER
RESISTANT



CHEMICAL
RESISTANT




IMPACT
RESISTANCE



FIRE
RESISTANT




HYGIENIC
SURFACE





SEA STONE

Size : 600x600mm
Finish : Glossy



FEATURES

- 

EASY
MAINTENANCE
- 

DIMENSIONAL
STABILITY
- 

HIGH
STRENGTH
- 

WATER
RESISTANT
- 

CHEMICAL
RESISTANT
- 

IMPACT
RESISTANCE
- 

FIRE
RESISTANT
- 

HYGIENIC
SURFACE

MINIMUM
3MM SPACE
RECOMMEND





SIRA WHITE

SIRA WHITE

Size : **600x600mm**
Finish : **Glossy**



■ FEATURES



EASY
MAINTENANCE



DIMENSIONAL
STABILITY



HIGH
STRENGTH



WATER
RESISTANT



CHEMICAL
RESISTANT



IMPACT
RESISTANCE



FIRE
RESISTANT



HYGIENIC
SURFACE





SPIN PEARL

SPIN PEARL

Size : **600x600mm**

Finish : **Glossy**



FEATURES



EASY
MAINTENANCE



DIMENSIONAL
STABILITY



HIGH
STRENGTH



WATER
RESISTANT



CHEMICAL
RESISTANT



IMPACT
RESISTANCE



FIRE
RESISTANT



HYGIENIC
SURFACE

MINIMUM
3MM SPACE
RECOMMEND 

STEEL WATER

Size : 600x600mm
Finish : Glossy




FEATURES

- 
EASY MAINTENANCE
- 
DIMENSIONAL STABILITY
- 
HIGH STRENGTH
- 
WATER RESISTANT
- 
CHEMICAL RESISTANT
- 
IMPACT RESISTANCE
- 
FIRE RESISTANT
- 
HYGIENIC SURFACE


UNIKA FL RE

Size : 600x600mm
Finish : Glossy



FEATURES

- | | | | |
|--|---|--|--|
| 
EASY
MAINTENANCE | 
DIMENSIONAL
STABILITY | 
HIGH
STRENGTH | 
WATER
RESISTANT |
| 
CHEMICAL
RESISTANT | 
IMPACT
RESISTANCE | 
FIRE
RESISTANT | 
HYGIENIC
SURFACE |




MINIMUM
3MM SPACE
RECOMMEND 



WATER DROPS BLUE

WATTER DR PS BLUE

Size : **600x600mm**
Finish : **Glossy**



■ FEATURES



EASY
MAINTENANCE



DIMENSIONAL
STABILITY



HIGH
STRENGTH



WATER
RESISTANT



CHEMICAL
RESISTANT



IMPACT
RESISTANCE



FIRE
RESISTANT



HYGIENIC
SURFACE



WHITE ST NE

WHITE STONE

Size : 600x600mm
Finish : Glossy

FEATURES

- 

EASY
MAINTENANCE
- 

DIMENSIONAL
STABILITY
- 

HIGH
STRENGTH
- 

WATER
RESISTANT
- 

CHEMICAL
RESISTANT
- 

IMPACT
RESISTANCE
- 

FIRE
RESISTANT
- 

HYGIENIC
SURFACE



TECHNOLOGY & AFFILIATIONS

HLT

KEDA

vidres

MODENA

SYSTEM
Ceramics

OUR CERTIFICATE


UK
CA



CE



TILES INSTALLATION



Special Laying Instruction:

Tiles Spacers

We always recommend to use the Tile Spacer for laying of different tiles as per its type and size. Tile Spacer is specially designed to create a uniform gap between tiles, this results in proper alignment throughout the tiling area. It is available in different width sizes starting from 2mm width to 10 mm width.

Features and Benefits:

Spacers accommodate the movements due to thermal variations and different loads

When filled with the right grout material, they can efficiently reduce the free water flow / leakage through the joints and also make the joints anti - fungal and anti - bacterial

With spacers, we can create uniform designs and pattern

Improved aesthetics and dimensional stability to the entire tile/ stone assembly

It ensures longer life span of tile installation

TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO-13006/ EN14411 GROUP Bla	TILES VALUE	TEST METHOD
REGULATORY PROPERTIES			
1) Deviation In Length & Width	±0.50%	±0.10%	ISO-10545-2
2) Deviation In Thickness	+5.00%	±2.00%	ISO-10545-2
3) Straightness Of Sides	±0.50%	±0.10%	ISO-10545-2
4) Rectangularity	±0.50%	±0.10%	ISO-10545-2
5) Surface Flatness	±0.50%	±0.10%	ISO-10545-2
6) Color Differences	Unaltered	No Change	ISO-10545-16
7) Glossiness	As Per Manufacturer	Min. 70%	Glossometer
STRUCTURAL PROPERTIES			
1) Water Absorption	≤0.50%	<0.05%	ISO-10545-3
2) Apparent Density	>2.00 gm/cc	>2.28 gm/cc	DIN 51082
MASSIVE MECHANICAL PROPERTIES			
1) Flexural Modulus Of Rupture	Min. 35N/mm ²	Min. 40N/mm ²	ISO-10545-4
2) Flexural Breaking Strength	Min. 1300 N	Min. 2000 N	ISO-10545-4
3) Impact Resistance	As Per Manufacturer	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PROPERTIES			
1) Deep Abrasion Resistance	Max. 175mm ³	Max. 132mm ³	ISO-10545-6
2) Moh's Hardness	Min. 6	8*	EN101
THERMO HYGROMETRIC PROPERTIES			
1) Frost Resistance	No Damage	Frost Proof	ISO-10545-12
2) Thermal Shock Resistance	No Damage	No Damage	ISO-10545-9
3) Moisture Expansion	Nil	Nil	ISO-10545-10
4) Thermal Expansion	Max 9.0x106	Max 6.5x10 -	ISO-10545-8
CHEMICAL PROPERTIES			
1) Chemical Resistance	No Damage	No Damage	ISO-10545-13
2) Stain Resistance	Resistant	Resistant	ISO-10545-14
SAFETY PROPERTIES			
1) Slip Resistance(friction Co Efficient)	>0.40	>0.40	ISO-10545-17

PACKING DETAIL

Size	600x600mm
Thickness (approx.)	8 mm
Pieces / Box	4 pcs.
Area / Box	1.44 sq.mtr.
Wt./Box (approx.)	26-27 Kgs.



IMPERIAL CERAMIC
GUJARAT, INDIA.

info@imperialceramic.in

www.imperialceramic.com