

JAN 20 24



600 x**600**mm Book Match Tiles Have An Eye-catching, Plush Appearance.

SUPERIOR FEATURES OF DIGITAL FULLBODY TILES

The SyncStone Collection features strength and resilience redefining features ideal to stand against the modern lifestyle usage and atrocities of everyday use.



SOLID BODY

Durable and solid body due to the homogenous fullbody composition of the tiles.



ZERO MAINTENANCE

The surfaces are sturdy and resilient requiring no special maintenance.



EASY TO CLEAN

Resists stains, scratches, and more requiring effortless regular cleaning only.



HIGH STRENGTH

The fullbody composition boasts high strength and resistance ideal for high traffic also.



ECOLOGICAL & SUSTAINABLE

The collection is a sustainable alternative to marble flooring making it ecological.



LOW WATER ABSORPTION

Exceptionally nonporous surface and revolutionary digital print make surface low water absorbing. Explore extensive application indoors and outdoors with the aesthetic and resilient qualities of the exclusive collection.

APLLICATION AREA



KITCHEN

LIVING ROOM



CORPORATE OFFICES

HOTEL & RESTOURANTS





BATHROOM

PUBLIC PLACE






CP 5033

Size: 600x600mm

Finish: GLOSSY



































CP 5034

Size : **600x600mm**

Finish: GLOSSY































CP 5037

Size: 600x600mm

Finish: GLOSSY

































CP 5040

Size: 600x600mm

Finish: GLOSSY







EASY INTENANCE



DIMENSIONAL STABILITY



HIGH STRENGTH



WATER RESISTANT



CHEMICAL RESISTANT







FIRE




HYGIENIC SURFACE



CP 5041

Size: 600x600mm

Finish: GLOSSY















WATER RESISTANT























CP 5042

Size: 600x600mm































CP 5043

Size: 600x600mm











DIMENSIONAL STABILITY



HIGH STRENGTH



WATER RESISTANT



CHEMICAL RESISTANT







FIRE RESISTANT











CP 5044

Size : **600x600mm**

Finish: GLOSSY




























HYGIENIC SURFACE




CP 5045

Size: 600x600mm

Finish: GLOSSY











DIMENSIONAL
























CP 5046

Size: 600x600mm

Finish: GLOSSY









DIMENSIONAL STABILITY

















CP 5052

Size: 600x600mm











ENSIONAL TABILITY



HIGH STRENGTH



WATER RESISTAN









FIRE











CP 5053

Size: 600x600mm

Finish: GLOSSY




























HYGIENIC



CP 5054

Size: 600x600mm











































CP 5055

Size: 600x600mm











DIMENSIONAL STABILITY



HIGH STRENGTH



WATER RESISTAN












FIRE RESISTANT



HYGIENIC SURFACE





CP 5056

Size : **600x600mm**

















WATER RESISTANT











FIRE PESISTANT











CP 5057

Size : **600x600mm**

Finish: GLOSSY











HIGH STRENGTH



WATER RESISTA







FIRE




HYGIENIC SURFACE



CP 5058

Size: 600x600mm

Finish: GLOSSY




























CP 5059

Size : **600x600mm**

Finish: GLOSSY







EASY INTENANCE



IMENSIONAL STABILITY



HIGH STRENGTH



WATER RESISTAN



CHEMICAL



(



FIRE RESISTANT





CP 5060

Size: 600x600mm































CP 5061

Size : **600x600mm**

Finish: GLOSSY












HIGH STRENGTH



WATER RESISTANT
















CP 5062

Size: 600x600mm

































CP 5063

Size: 600x600mm











DIMENSIONAL STABILITY



HIGH STRENGTH



WATER RESISTAN



CHEMICAL RESISTANT




/ } :T



FIRE RESISTANT



HYGIENIC






CP 5064

Size: **600x600mm**

Finish: GLOSSY
































CP 5065

Size : **600x600mm**

































CP 5066

Size: 600x600mm

Finish: GLOSSY






























CP 5067

Size : **600x600mm**

Finish: GLOSSY




























CP 5068

Size: 600x600mm

Finish: GLOSSY







DIMENSIONAL



























CP 5070

Size : **600x600mm**

Finish: GLOSSY







EASY JINTENANCE



DIMENSIONAL STABILITY



HIGH STRENGTH



WATER RESISTAN









FIRE




HYGIENIC




CP 5071

Size: 600x600mm

Finish: GLOSSY







DIMENSIONAL



















CP 5073

Size : **600x600mm**

Finish: GLOSSY























HYGIENIC SURFACE




CP 5074

Size: 600x600mm

Finish: GLOSSY







DIMENSIONAL

























CP 5075

Size : **600x600mm**

Finish: GLOSSY

























CP 5076

Size: 600x600mm

Finish: GLOSSY















WATER RESISTANT

















CP 5077

Size: 600x600mm

Finish: GLOSSY

























HYGIENIC SURFACE



CP 5078

Size: 600x600mm






























CP 5080

Size : **600x600mm**




























HYGIENIC SURFACE







CP 5082

Size: 600x600mm

Finish: GLOSSY







EASY AINTENANCE



DIMENSIONAL STABILITY



HIGH STRENGTH



WATER RESISTANT





















CP 5083

Size: 600x600mm

Finish: GLOSSY









DIMENSIONAL




















CP 5084

Size: 600x600mm






































CP 5085

Size : **600x600mm**

Finish: GLOSSY









DIMENSIONAL


















CP 5087

Size: 600x600mm

Finish: GLOSSY

















WATER RESISTANT





















CP 5088

Size : **600x600mm**

Finish: GLOSSY











HIGH STRENGTH



RE

















CP 5089

Size: 600x600mm

Finish: GLOSSY

































CP 5096

Size : **600x600mm**

Finish: GLOSSY







EASY









WATER RESISTAN









FIRE RESISTANT





CP 5098

Size: 600x600mm















HIGH STRENGTH



WATER RESISTAN












FIRE RESISTANT













CP 5100

Size : **600x600mm**
































CP 5101

Size: 600x600mm













WATER RESISTANT
























CP 5103

Size: 600x600mm

Finish: GLOSSY







EASY DIMEI NTENANCE STA







WATER RESISTAN









FIRE




HYGIENIC SURFACE



CP 5104

Size: 600x600mm











DIMENSIONAL



























CP 5105

Size : **600x600mm**


























HYGIENIC SURFACE







CP 5107

Size: 600x600mm

Finish: GLOSSY







DIMENSIONAL

























CP 5108

Size : **600x600mm**

Finish: GLOSSY


























HYGIENIC SURFACE



CP 5111

Size: 600x600mm











HIGH STRENGTH



WATER RESISTANT



IMPACT RESISTANC






FIRE RESISTANT



HYGIENIC SURFACE









CP 5112

Size: **600x600mm**

Finish: GLOSSY







EASY DIMINTENANCE S'



DIMENSIONAL STABILITY



HIGH STRENGTH



WATER RESISTANT



CHEMICAI



(Ch

FIRE





CP 5113

Size: 600x600mm







DIMENSIONAL


























CP 5115

Size: 600x600mm













WATER RESISTANT












HYGIENIC SURFACE





CP 5116

Size: 600x600mm




































CP 5117

Size : **600x600mm**






























HYGIENIC SURFACE






CP 5119

Size: 600x600mm

Finish: GLOSSY































CP 5120

Size : **600x600mm**

Finish: GLOSSY
























CP 5121

Size: 600x600mm





































CP 5122

Size: 600x600mm

Finish: GLOSSY











DNAL TY



HIGH STRENGTH



WATER RESISTAN











FIRE RESISTANT





CP 5123

Size: 600x600mm







































CP 5124

Size : **600x600mm**

Finish: GLOSSY





FEATURES



DIMENSIONAL
















HYGIENIC SURFACE



CP 5125

Size: 600x600mm

Finish: GLOSSY













WATER RESISTANT









HYGIENIC SURFACE





CP 5126

Size : **600x600mm**

Finish: GLOSSY






























CP 5127

Size: 600x600mm











DIMENSIONAL



















CP 5128

Size : **600x600mm**

Finish: GLOSSY





























CP 5129

Size: 600x600mm

Finish: GLOSSY















WATER RESISTANT











HYGIENIC SURFACE





CP 5130

Size: 600x600mm















WATER RESISTANT





















CP 5131

Size: 600x600mm

Finish: GLOSSY


































CP 5132

Size : **600x600mm**

Finish: GLOSSY







EASY



IAL Y S



HIGH STRENGTH



WATER RESISTANT















HYGIENIC



CP 5133

Size: 600x600mm













































CP 5134

Size : **600x600mm**

Finish: GLOSSY






























CP 5135

Size: 600x600mm

































TECHNOLOGY & AFFILIATIONS







/XX MODENA



OUR CERTIFICATE











TILES INSTALLATION



Special Laying Instruction:

Tiles Spacers

We always recommend to use the Tile Spacer for laying of different tiles as per its type and size. Tile Spacer is specially designed to create a uniform gap between tiles, this results in proper alignment throughout the tiling area. It is available in different width sizes starting from 2mm width to 10 mm width.

Features and Benefits:

- Spacers accommodate the movements due to thermal variations and different loads
- When filled with the right grout material, they can efficiently reduce the free water flow / leakage through the joints and also make the joints anti fungal and anti bacterial
- With spacers, we can create uniform designs and pattern
- Improved aesthetics and dimensional stability to the entire tile/ stone assembly
- It ensures longer life span of tile installation

TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO-13006/ EN14411 GROUP Bla	TILES VALUE	TEST METHOD
REGULATORY PROPERTIES			
1) Deviation In Length & Width	±0.50%	±0.10%	ISO-10545-2
2) Deviation In Thickness	+5.00%	±2.00%	ISO-10545-2
3) Straightness Of Sides	±0.50%	±0.10%	ISO-10545-2
4) Rectangularity	±0.50%	±0.10%	ISO-10545-2
5) Surface Flatness	±0.50%	±0.10%	ISO-10545-2
6) Color Differences	Unaltered	No Change	ISO-10545-16
7) Glossiness	As Per Manufacturer	Min. 70%	Glossometer
STRUCTURAL PROPERTIES			
1) Water Absorption	≤0.50%	<0.05%	ISO-10545-3
2) Apparent Density	>2.00 gm/cc	>2.28 gm/cc	DIN 51082
MASSIVE MECHANICAL PROPERTI	ES		
1) Flexural Modulus Of Rupture	Min. 35N/mm²	Min. 40N/mm²	ISO-10545-4
2) Flexural Breaking Strength	Min. 1300 N	Min. 2000 N	ISO-10545-4
3) Impact Resistance	As Per Manufacturer	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PROPERTI	ES		
1) Deep Abrasion Resistance	Max. 175mm³	Max. 132mm ³	ISO-10545-6
2) Moh's Hardness	Min. 6	8*	EN101
THERMO HYGROMETRIC PROPER	TIES		
1) Frost Resistance	No Damage	Frost Proof	ISO-10545-12
2) Thermal Shock Resistance	No Damage	No Damage	ISO-10545-9
3) Moisture Expansion	Nil	Nil	ISO-10545-10
4) Thermal Expansion	Max 9.0x106	Max 6.5x10 -	ISO-10545-8
CHEMICAL PROPERTIES			
1) Chemical Resistance	No Damage	No Damage	ISO-10545-13
2) Stain Resistance	Resistant	Resistant	ISO-10545-14
SAFETY PROPERTIES			
1) Slip Resistance(friction Co Efficient)	>0.40	>0.40	ISO-10545-17

PACKING DETAIL

Size	600x600mm	
Thickness (approx.)	8 mm	
Pieces / Box	4 pcs.	
Area / Box	1.44 sq.mtr.	
Wt./Box (approx.)	26-27 Kgs.	





info@imperialceramic.in

www.imperialceramic.com