


DOUBLE CHARGE SERIES









Size:

600×600mm

Welcome to the mesmerizing world of DOUBLE CHARGE Tiles, where imagination comes to life in every dimension, transporting you to extraordinary realms of wonder and adventure







DOUBLE CHARGE SERIES

DOUBLE CHARGE

indulge in the exquisite brilliance of our DC Series , where style meets perfection.

SUPERIOR FEATURES OF DIGITAL FULLBODY TILES

The SyncStone Collection features strength and resilience redefining features ideal to stand against the modern lifestyle usage and atrocities of everyday use.



SOLID BODY

Durable and solid body due to the homogenous fullbody composition of the tiles.



ZERO MAINTENANCE

The surfaces are sturdy and resilient requiring no special maintenance.



EASY TO CLEAN

Resists stains, scratches, and more requiring effortless regular cleaning



HIGH STRENGTH

The fullbody composition boasts high strength and resistance ideal for high traffic also.



ECOLOGICAL & SUSTAINABLE

The collection is a sustainable alternative to marble flooring making it ecological.



LOW WATER ABSORPTION

Exceptionally nonporous surface and revolutionary digital print make surface low water absorbing. Explore extensive application indoors and outdoors with the aesthetic and resilient qualities of the exclusive collection.

APLLICATION AREA



KITCHEN

LIVING ROOM



CORPORATE OFFICES

HOTEL & RESTOURANTS



BATHROOM

PUBLIC PLACE










CIZA BLUE

Size : **600x600mm**

Finish: Gl ssy





































CIZA DARK GREY

Size : **600x600mm**

Finish: Gl ssy







EASY



HI0 STRE



WATER RESISTAN











FIRE RESISTANT



HYGIENIC






CIZA CH C

Size : **600x600mm**

Finish: Gl ssy

































CIZA DARK BR WN

Size : **600x600mm**































CIZA LIGHT GREY

Size : **600x600mm**

































CIZA GREEN

Size : **600x600mm**

Finish: Gl ssy































CIZA LIGHT BR WN

Size : **600x600mm**






































CIZA YELL W

Size : **600x600mm**

Finish: Gl ssy































DYNAMIC BEIGE

Size : **600x600mm**

Finish: Gl ssy





































DRAG N WHITE

Size : **600x600mm**

Finish: Gl ssy



























HYGIENIC SURFACE






DYNAMIC GREY WHITE

Size : **600x600mm**









































MATRIX BEIGE

Size : **600x600mm**































DYNAMIC GREY

Size : **600x600mm**








































MATRIX CH C LIGHT

Size: **600x600mm**

























FIRE



HYGIENIC SURFACE










MATRIX LIGHT BEIGE

Size : **600x600mm**

Finish: Gl ssy



























SURFACE








MURAT AQUA

Size : **600x600mm**











DIMENSIONAL STABILITY



HIGH STRENGTH



WATER RESISTAN















HYGIENIC SURFACE





MATRIX CH C

Size : **600x600mm**

























HYGIENIC SURFACE












MURAT ALM ND

Size : **600x600mm**

Finish: Gl ssy





EASY AINTENANCE



DIMENSIONAL STABILITY



HIGH STRENGTH



WATER RESISTAN









FIRE



HYGIENIC SURFACE








MURAT BEIGE

Size : **600x600mm**











DIMENSIONAL STABILITY



HIGH STRENGTH



WATER RESISTAN














HYGIENIC SURFACE










MURAT BR WN

Size : **600x600mm**



























HYGIENIC SURFACE








MURAT BLUE

Size : **600x600mm**







EASY AINTENANCE



DIMENSIONAL STABILITY



HIGH STRENGTH



WATER RESISTAN











FIRE RESISTANT












MURAT CREMA

Size : **600x600mm**


























HYGIENIC SURFACE





MURAT GREY

Size : **600x600mm**











NAL 'Y S



HIGH STRENGTH



WATER RESISTAN



CHEMICAL RESISTANT









HYGIEN












MURAT G LD

Size : **600x600mm**











DIMENSIONAL STABILITY



HIGH STRENGTH



WATER RESISTAN









FIRE





HYGIENIC SURFACE








MURAT MINT

Size : **600x600mm**




































MURAT SILVER

Size : **600x600mm**





























HYGIENIC SURFACE










MURAT PINK

Size: **600x600mm**











DIMENSIONAL STABILITY



HIGH STRENGTH



WATER RESISTAI









F CE RESI



FIRE










MURAT SLATE

Size : **600x600mm**















CHEMICAL RESISTANT







HYGIENIC SURFACE








ST NE CREMA

Size : **600x600mm**















HIGH STRENGTH



WATER RESISTAN









FIRE RESISTANT



HYGIENIC SURFACE












ST NE BR WN

Size : **600x600mm**

Finish: Gl ssy





FEATURES



























ST NE DARK GREY

Size: **600x600mm**








































REGAL GRUNGE

Size : **600x600mm**






























ST NE LIGHT GREY

Size: **600x600mm**































TECHNOLOGY & AFFILIATIONS







/XX MODENA



OUR CERTIFICATE











TILES INSTALLATION



Special Laying Instruction:

Tiles Spacers

We always recommend to use the Tile Spacer for laying of different tiles as per its type and size. Tile Spacer is specially designed to create a uniform gap between tiles, this results in proper alignment throughout the tiling area. It is available in different width sizes starting from 2mm width to 10 mm width.

Features and Benefits:

Spacers accommodate the movements due to thermal variations and different loads

When filled with the right grout material, they can efficiently reduce the free water flow / leakage through the joints and also make the joints anti - fungal and anti - bacterial

With spacers, we can create uniform designs and pattern

Improved aesthetics and dimensional stability to the entire tile/ stone assembly

It ensures longer life span of tile installation

TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO-13006/ EN14411 GROUP Bla	TILES VALUE	TEST METHOD
REGULATORY PROPERTIES			
1) Deviation In Length & Width	±0.50%	±0.10%	ISO-10545-2
2) Deviation In Thickness	+5.00%	±2.00%	ISO-10545-2
3) Straightness Of Sides	±0.50%	±0.10%	ISO-10545-2
4) Rectangularity	±0.50%	±0.10%	ISO-10545-2
5) Surface Flatness	±0.50%	±0.10%	ISO-10545-2
6) Color Differences	Unaltered	No Change	ISO-10545-16
7) Glossiness	As Per Manufacturer	Min. 70%	Glossometer
STRUCTURAL PROPERTIES			
1) Water Absorption	≤0.50%	<0.05%	ISO-10545-3
2) Apparent Density	>2.00 gm/cc	>2.28 gm/cc	DIN 51082
MASSIVE MECHANICAL PROPERTI	ES		
1) Flexural Modulus Of Rupture	Min. 35N/mm²	Min. 40N/mm²	ISO-10545-4
2) Flexural Breaking Strength	Min. 1300 N	Min. 2000 N	ISO-10545-4
3) Impact Resistance	As Per Manufacturer	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PROPERTI	ES		
1) Deep Abrasion Resistance	Max. 175mm³	Max. 132mm³	ISO-10545-6
2) Moh's Hardness	Min. 6	8*	EN101
THERMO HYGROMETRIC PROPERT	ΓIES		
1) Frost Resistance	No Damage	Frost Proof	ISO-10545-12
2) Thermal Shock Resistance	No Damage	No Damage	ISO-10545-9
3) Moisture Expansion	Nil	Nil	ISO-10545-10
4) Thermal Expansion	Max 9.0x106	Max 6.5x10 -	ISO-10545-8
CHEMICAL PROPERTIES			
1) Chemical Resistance	No Damage	No Damage	ISO-10545-13
2) Stain Resistance	Resistant	Resistant	ISO-10545-14
SAFETY PROPERTIES			
1) Slip Resistance(friction Co Efficient)	>0.40	>0.40	ISO-10545-17

PACKING DETAIL

Size	600x600mm	
Thickness (approx.)	8 mm	
Pieces / Box	4 pcs.	
Area / Box	1.44 sq.mtr.	
Wt./Box (approx.)	26-27 Kgs.	





info@imperialceramic.in

www.imperialceramic.com