

GLOSSY

JAN 20 24

Let Your Spaces Discover



SUPERIOR FEATURES OF DIGITAL FULLBODY TILES

The SyncStone Collection features strength and resilience redefining features ideal to stand against the modern lifestyle usage and atrocities of everyday use.



SOLID BODY

Durable and solid body due to the homogenous fullbody composition of the tiles.



ZERO MAINTENANCE

The surfaces are sturdy and resilient requiring no special maintenance.



EASY TO CLEAN

Resists stains, scratches, and more requiring effortless regular cleaning only.



HIGH STRENGTH

The fullbody composition boasts high strength and resistance ideal for high traffic also.



ECOLOGICAL & SUSTAINABLE

The collection is a sustainable alternative to marble flooring making it ecological.



LOW WATER ABSORPTION

Exceptionally nonporous surface and revolutionary digital print make surface low water absorbing. Explore extensive application indoors and outdoors with the aesthetic and resilient qualities of the exclusive collection.

APLLICATION AREA



KITCHEN

LIVING ROOM



CORPORATE OFFICES

HOTEL & RESTOURANTS





BATHROOM

PUBLIC PLACE









ACR NYX

Size : **600x600mm** Finish: GL SSY





CHEMICAL RESISTANT







IMPACT







WATER RESISTANT








HYGIENIC SURFACE



Rand•m: **93**









AKR N BEIGE

Size : **600x600mm**

Finish: GL SSY















WATER RESISTANT











HYGIENIC SURFACE



Rand•m: **93**





ANGL BR WN

Size : **600x600mm** Finish: GL SSY



Rand•m: **93**





































ANGL CREMA

Size : **600x600mm** Finish: GL SSY



























HYGIENIC SURFACE



Rand•m: **93**







ARDESIA BEIGE

Size: 600x600mm Finish: GL SSY













гн
















SURFACE













ARDESIA WHITE

Size : **600x600mm** Finish: GL SSY













WATER RESISTANT











HYGIENIC SURFACE



Rand•m: **93**





ARIC N WHITE

Size : **600x600mm** Finish: GL SSY

FEATURES











WATER RESISTANT














HYGIENIC SURFACE



Rand•m: **93**









ARMAN STEEL

Size: **600x600mm** Finish: **GL SSY**





EASY MAINTENANCI



DIMENSIONAL STABILITY



HIGH STRENGTH



WATER RESISTANT



CHEMICAL RESISTANT






FIRE RESISTANT



HYGIENIC SURFACE



Rand•m: **93**







ATLAS MULTI

Size : **600x600mm**

Finish: GL SSY























Rand•m: **93**







ATLAS WHITE

Size : **600x600mm** Finish: GL SSY





CHEMICAL RESISTANT













IMPACT









HYGIENIC SURFACE



Rand•m: **93**







AUSTIN CREMA

Size : **600x600mm**

Finish: GL SSY















CHEMICAL














Rand•m: **93**







BLUZY SILVER

Size : **600x600mm** Finish: GL SSY





CHEMICAL





















SURFACE



Rand•m: **93**









CALVIN BLUE

Size : **600x600mm**

Finish: GL SSY

























Rand•m: **93**









C LISE ICE

Size : **600x600mm** Finish: GL SSY





CHEMICAL RESISTANT



IMPACT RESISTANCE
















Rand•m: **94**








C SMIC STATUARI

Size : **600x600mm**

Finish: GL SSY







EASY MAINTENANCE



DIMENSIONAL STABILITY



HIGH STRENGTH



WATEF RESISTAI



CHEMICAL RESISTANT







.









C TT NW L

Size : **600x600mm** Finish: GL SSY









DIMENSIONAL STABILITY







WATER RESISTANT








RESISTANCE







Rand•m: **93**









CP-5•14

Size : **600x600mm** Finish: GL SSY

FEATURES



CHEMICAL RESISTANT












IMPACT RESISTANCE







Rand•m: **93**










CP-5•19

Size : **600x600mm** Finish: GL SSY





CHEMICAL RESISTANT





IMPACT RESISTANCE





WATER RESISTANT


















CP-5•21

Size : **600x600mm**

Finish: GL SSY



FEATURES



EASY MAINTENANCE



DIMENSIONAL STABILITY





WATER RESISTANT



CHEMICAL RESISTANT



RESISTANCE





HYGIENIC SURFACE





CP-5•22

Size : **600x600**mm

Finish: GL SSY





CHEMICAL RESISTANT










WATER RESISTANT



IMPACT RESISTANCE











CPGC-•1

Size : **600x600mm** Finish: GL SSY

FEATURES









WATER RESISTANT



CHEMICAL RESISTANT







HYGIENIC SURFACE













CPGC-•2

Size: **600x600mm** Finish: GL SSY

FEATURES


















HYGIENIC SURFACE



Rand•m: **93**







CPGC-•3

Size : **600x600mm**

Finish: GL SSY

















CHEMICAL RESISTANT










Rand•m: **93**









CPGC-•4

Size : **600x600mm** Finish: GL SSY

















HYGIENIC SURFACE



Rand•m: **93**







CPGC-•8

Size : **600x600mm** Finish: GL SSY

FEATURES



CHEMICAL

RESISTANT



DIMENSIONAL STABILITY

IMPACT

RESISTANCE





WATER RESISTANT







HYGIENIC SURFACE



Rand•m: **93**









CPGC-11

Size : **600x600mm**

Finish: GL SSY






















Rand•m: **93**







Size : **600x600mm**





EASY IAINTENANCE



DIMENSIONAL STABILITY



HIGH STRENGTH



RE



WATER RESISTANT


























Size : **600x600mm** Finish: GL SSY





CHEMICAL RESISTANT







WATER RESISTANT








IMPACT RESISTANCE







Rand•m: **93**









Size: **600x600mm** Finish: GL SSY





DIMENSIONAL STABILITY

















HYGIENIC SURFACE



Rand•m: **93**









Size: **600x600mm**
















CHEMICAL RESISTANT







Rand•m: **93**







CPGC-8•

Size: **600x600mm** Finish: GL SSY

FEATURES















WATER RESISTANT














Rand•m: **93**










Size : **600x600mm** Finish: GL SSY









































CPGC-87

Size : **600x600mm** Finish: GL SSY






























Rand•m: **92**









CRATE WHITE

Size: **600x600mm**











WATER RESISTANT




CHEMICAL RESISTANT







HYGIENIC SURFACE



Rand•m: **93**







CREMA MARFIL

Size: **600x600mm**

Finish: GL SSY

























SURFACE



Rand•m: **93**









CRUT BEIGE

Size: **600x600mm**







DIMENSIONAL STABILITY





WATER RESISTANT












HYGIENIC SURFACE



Rand•m: **94**










DIAM ND BLUE

Size : **600x600mm** Finish: GL SSY





























DYNA SLIVER

Size: **600x600mm** Finish: GL SSY

FEATURES













WATER RESISTANT






IMPACT RESISTANCE





HYGIENIC SURFACE



Rand•m: **93**





ELECTA BLACK

Size: **600x600mm** Finish: GL SSY

FEATURES
























Rand•m: **95**













GLOSSY

FLAMING BLUE

Size : **600x600mm** Finish: GL SSY

















CHEMICAL RESISTANT







HYGIENIC SURFACE



GLOSSY

FLEX STATURI

Size : **600x600mm**


























Rand•m: **95**











FL RIDA GREY

Size : **600x600mm**

Finish: GL SSY


















CHEMICAL RESISTANT








HYGIENIC SURFACE



Rand•m: **93**







GALENA SATURI

Size : **600x600mm** Finish: GL SSY

FEATURES













WATER RESISTANT
























GLACIER BLUE

Size : **600x600mm**

Finish: GL SSY





























Rand•m: **92**





GLACIER BR WN

Size: **600x600mm** Finish: GL SSY



Rand•m: **92**





























IMPERIAL WHITE

Size: **600x600mm**

Finish: GL SSY









IMPACT

RESISTANCE


















Rand•m: **93**





ISTAN GREY

Size : **600x600mm** Finish: GL SSY





CHEMICAL RESISTANT

IMPACT





WATER RESISTANT



















ITALIAN BEIGE

Size : **600x600mm** Finish: GL SSY





CHEMICAL RESISTANT













WATER RESISTANT



IMPACT RESISTANCE


















KENI N GREY

Size: **600x600mm**

Finish: GL SSY





CHEMICAL

RESISTANT









WATER RESISTANT



IMPACT RESISTANCE





SURFACE



Rand•m: **93**









LEUC WHITE

Size : **600x600mm**







DIMENSIONAL







CHEMICAL RESISTANT




IMPACT RESISTANCE

















L FT DARK

Size : **600x600mm** Finish: GL SSY











WATER RESISTANT














Rand•m: **94**







LUCIFER MULTI

Size : **600x600mm**

Finish: GL SSY





















HYGIENIC SURFACE



Rand•m: **94**





MINT BLUE

Size : **600x600mm** Finish: GL SSY

















HYGIENIC SURFACE





Rand•m: **93**









MIRECAL NYX

Size : **600x600mm** Finish: GL SSY





CHEMICAL RESISTANT





RESISTANCE












HYGIENIC SURFACE



Rand•m: **93**







M NZY CREMA

Size : **600x600mm** Finish: GL SSY















































CEAN PERL

Size : **600x600mm** Finish: GL SSY























Rand•m: **93**





NYX WHITE

Size : **600x600mm**













WATER RESISTANT


















Rand•m: **93**









PAL WHITE

Size : **600x600mm** Finish: GL SSY















WATER RESISTANT








HYGIENIC SURFACE



Rand•m: **93**







SCAR GREY

Size : **600x600mm** Finish: GL SSY
















HYGIENIC SURFACE



Rand•m: **93**



















PEARL STATUTARI

Size : **600x600mm**

















RESISTANCE






HYGIENIC SURFACE



Rand•m: **93**








PLAZ WHITE

Size : **600x600**mm



















WATER RESISTANT

























R SSA BIANC

Size : **600x600mm** Finish: GL SSY

FEATURES

















WATER RESISTANT



CHEMICAL










Rand•m: **94**







R SSA CREMA

Size : **600x600mm** Finish: GL SSY

FEATURES



CHEMICAL RESISTANT



IMPACT RESISTANCE
















Rand • m : **04**










R SS STATURI

Size : **600x600mm** Finish: GL SSY

























HYGIENIC SURFACE



SKYT UCH GREY

Size: **600x600mm** Finish: GL SSY



Rand•m: **93**







































SPIDER BLACK

Size : **600x600mm**













WATER RESISTANT











HYGIENIC SURFACE



Rand•m: **93**







STAN GREY

Size : **600x600mm** Finish: GL SSY

FEATURES



CHEMICAL RESISTANT



















HYGIENIC SURFACE



Rand•m: **93**







VERA WHITE

Size: **600x600mm**

Finish: GL SSY











WATER RESISTANT



CHEMICAL RESISTANT










Rand•m: **93**





VISTA NYX

Size : **600x600mm** Finish: GL SSY

FEATURES



















Rand•m: **93**





















VIZART STATUTARI

Size: **600x600mm**



















Rand•m: **95**







WHITE STATURI

Size: **600x600mm**

Finish: GL SSY















CHEMICAL







Rand•m: **93**





TECHNOLOGY & AFFILIATIONS











OUR CERTIFICATE











TILES INSTALLATION



Special Laying Instruction:

Tiles Spacers

We always recommend to use the Tile Spacer for laying of different tiles as per its type and size. Tile Spacer is specially designed to create a uniform gap between tiles, this results in proper alignment throughout the tiling area. It is available in different width sizes starting from 2mm width to 10 mm width.

Features and Benefits:

Spacers accommodate the movements due to thermal variations and different loads

When filled with the right grout material, they can efficiently reduce the free water flow / leakage through the joints and also make the joints anti - fungal and anti - bacterial

With spacers, we can create uniform designs and pattern

Improved aesthetics and dimensional stability to the entire tile/ stone assembly

It ensures longer life span of tile installation

TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO-13006/ EN14411 GROUP Bla	TILES VALUE	TEST METHOD
REGULATORY PROPERTIES			
1) Deviation In Length & Width	±0.50%	±0.10%	ISO-10545-2
2) Deviation In Thickness	+5.00%	±2.00%	ISO-10545-2
3) Straightness Of Sides	±0.50%	±0.10%	ISO-10545-2
4) Rectangularity	±0.50%	±0.10%	ISO-10545-2
5) Surface Flatness	±0.50%	±0.10%	ISO-10545-2
6) Color Differences	Unaltered	No Change	ISO-10545-16
7) Glossiness	As Per Manufacturer	Min. 70%	Glossometer
STRUCTURAL PROPERTIES			
1) Water Absorption	≤0.50%	<0.05%	ISO-10545-3
2) Apparent Density	>2.00 gm/cc	>2.28 gm/cc	DIN 51082
MASSIVE MECHANICAL PROPERTI	ES		
1) Flexural Modulus Of Rupture	Min. 35N/mm²	Min. 40N/mm²	ISO-10545-4
2) Flexural Breaking Strength	Min. 1300 N	Min. 2000 N	ISO-10545-4
3) Impact Resistance	As Per Manufacturer	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PROPERTI	ES		
1) Deep Abrasion Resistance	Max. 175mm³	Max. 132mm³	ISO-10545-6
2) Moh's Hardness	Min. 6	8*	EN101
THERMO HYGROMETRIC PROPER	ΓIES		
1) Frost Resistance	No Damage	Frost Proof	ISO-10545-12
2) Thermal Shock Resistance	No Damage	No Damage	ISO-10545-9
3) Moisture Expansion	Nil	Nil	ISO-10545-10
4) Thermal Expansion	Max 9.0x106	Max 6.5x10 -	ISO-10545-8
CHEMICAL PROPERTIES			
1) Chemical Resistance	No Damage	No Damage	ISO-10545-13
2) Stain Resistance	Resistant	Resistant	ISO-10545-14
SAFETY PROPERTIES			
1) Slip Resistance(friction Co Efficient)	>0.40	>0.40	ISO-10545-17

PACKING DETAIL

Size	600x600mm	
Thickness (approx.)	8 mm	
Pieces / Box	4 pcs.	
Area / Box	1.44 sq.mtr.	
Wt./Box (approx.)	26-27 Kgs.	





info@imperialceramic.in

www.imperialceramic.com