

REFRESHING YET
TIMELESSLY “”

Classic Ambiance.

600X600MM




Slate

COLLECTION

Embrace a new era of sophistication and style with our exclusive Slate Series, where timeless elegance meets contemporary design.





Size :

600×600mm


mm



Experience the allure of natural slate textures that bring an authentic touch of the outdoors into your interiors. The rich, earthy tones and intricate patterns mimic the beauty of genuine slate, elevating your space with a touch of nature.

Slate
COLLECTION





Explore our catalog to find the perfect tile that resonates with your style and witness the transformative power of punch-on themed elegance.

Slate
COLLECTION



Extend the beauty of your interiors to your Indoor & Outdoor spaces, creating a seamless transition with the Slate Series.

SUPERIOR FEATURES OF DIGITAL GVT TILES

The Slate Collection features strength and resilience redefining features ideal to stand against the modern lifestyle usage and atrocities of everyday use.



SOLID BODY

Durable and solid body due to the homogenous fullbody composition of the tiles.



EASY TO CLEAN

Resists stains, scratches, and more requiring effortless regular cleaning only.



ECOLOGICAL & SUSTAINABLE

The collection is a sustainable alternative to marble flooring making it ecological.



ZERO MAINTENANCE

The surfaces are sturdy and resilient requiring no special maintenance.



HIGH STRENGTH

The fullbody composition boosts high strength and resistance ideal for high traffic also.



LOW WATER ABSORPTION

Exceptionally non-porous surface and revolutionary digital print make surface low water absorbing.

Explore extensive application indoors and outdoors with the aesthetic and resilient qualities of the exclusive collection.

APPLICATION AREA



KITCHEN



LIVING ROOM



CORPORATE OFFICES



HOTEL & RESTOURANTS



BATHROOM



PUBLIC PLACE


AIRSLATE

60x
60mm



PUNCH EFFECT

AIRSLATE BEIGE



06 RANDOM PHASES



- 
EASY
MAINTENANCE
- 
CHEMICAL
RESISTANT
- 
DIMENSIONAL
STABILITY
- 
IMPACT
RESISTANCE
- 
HIGH
STRENGTH
- 
FIRE
RESISTANT
- 
WATER
RESISTANT
- 
HYGIENIC
SURFACE





AIRSLATE BEIGE


AIRSLATE

60x
60mm



PUNCH EFFECT

AIRSLATE BIANCO



06 RANDOM PHASES



EASY
MAINTENANCE



CHEMICAL
RESISTANT



DIMENSIONAL
STABILITY



IMPACT
RESISTANCE



HIGH
STRENGTH



FIRE
RESISTANT



WATER
RESISTANT



HYGIENIC
SURFACE





AIRSLATE BIANCO


AIRSLATE

60x
60mm



PUNCH EFFECT

AIRSLATE CREMA LIGHT



06 RANDOM PHASES



EASY
MAINTENANCE



CHEMICAL
RESISTANT



DIMENSIONAL
STABILITY



IMPACT
RESISTANCE



HIGH
STRENGTH



FIRE
RESISTANT



WATER
RESISTANT



HYGIENIC
SURFACE





AIRSLATE CREMA LIGHT

AIRSLATE

60x
60mm



PUNCH EFFECT

AIRSLATE MULTY



06 RANDOM PHASES



EASY
MAINTENANCE



CHEMICAL
RESISTANT



DIMENSIONAL
STABILITY



IMPACT
RESISTANCE



HIGH
STRENGTH



FIRE
RESISTANT



WATER
RESISTANT



HYGIENIC
SURFACE

Slate
COLLECTION



AIRSLATE MULTY


AIRSLATE

60x
60mm



PUNCH EFFECT

AIRSLATE YELLOW



06 RANDOM PHASES



EASY
MAINTENANCE



CHEMICAL
RESISTANT



DIMENSIONAL
STABILITY



IMPACT
RESISTANCE



HIGH
STRENGTH



FIRE
RESISTANT



WATER
RESISTANT



HYGIENIC
SURFACE


Slate
COLLECTION



AIRSLATE YELLOW


CHIPS

60x
60mm



PUNCH EFFECT

CHIPS GREY



03 RANDOM PHASES



- | | |
|--|--|
| 
EASY
MAINTENANCE | 
CHEMICAL
RESISTANT |
| 
DIMENSIONAL
STABILITY | 
IMPACT
RESISTANCE |
| 
HIGH
STRENGTH | 
FIRE
RESISTANT |
| 
WATER
RESISTANT | 
HYGIENIC
SURFACE |





CHIPS GREY


CHIPS

60x
60mm



PUNCH EFFECT

CHIPS LIGHT GREY



03 RANDOM PHASES



EASY
MAINTENANCE



CHEMICAL
RESISTANT



DIMENSIONAL
STABILITY



IMPACT
RESISTANCE



HIGH
STRENGTH



FIRE
RESISTANT



WATER
RESISTANT



HYGIENIC
SURFACE





CHIPS LIGHT GREY

DARENA

60x
60mm



PUNCH EFFECT

DARENA BIANCO



06 RANDOM PHASES



EASY
MAINTENANCE



CHEMICAL
RESISTANT



DIMENSIONAL
STABILITY



IMPACT
RESISTANCE



HIGH
STRENGTH



FIRE
RESISTANT



WATER
RESISTANT



HYGIENIC
SURFACE





DARENA BIANCO

DARENA

60x
60mm



PUNCH EFFECT

DARENA CHOCO



06 RANDOM PHASES



- 

EASY
MAINTENANCE
- 

CHEMICAL
RESISTANT
- 

DIMENSIONAL
STABILITY
- 

IMPACT
RESISTANCE
- 

HIGH
STRENGTH
- 

FIRE
RESISTANT
- 

WATER
RESISTANT
- 

HYGIENIC
SURFACE





DARENA CHOCO

DARENA

60x
60mm



DARENA DOVE

PUNCH EFFECT



06 RANDOM PHASES



- 

EASY
MAINTENANCE
- 

CHEMICAL
RESISTANT
- 

DIMENSIONAL
STABILITY
- 

IMPACT
RESISTANCE
- 

HIGH
STRENGTH
- 

FIRE
RESISTANT
- 

WATER
RESISTANT
- 

HYGIENIC
SURFACE





DARENA DOVE


DARENA

60x
60mm



PUNCH EFFECT

DARENA GREY



06 RANDOM PHASES



- 

EASY
MAINTENANCE
- 

CHEMICAL
RESISTANT
- 

DIMENSIONAL
STABILITY
- 

IMPACT
RESISTANCE
- 

HIGH
STRENGTH
- 

FIRE
RESISTANT
- 

WATER
RESISTANT
- 

HYGIENIC
SURFACE






DARENA GREY

ERA

60x
60mm



PUNCH EFFECT

ERA DARK GREY



04 RANDOM PHASES



EASY
MAINTENANCE



CHEMICAL
RESISTANT



DIMENSIONAL
STABILITY



IMPACT
RESISTANCE



HIGH
STRENGTH



FIRE
RESISTANT



WATER
RESISTANT



HYGIENIC
SURFACE

Slate
COLLECTION



ERA DARK GREY

ERA

60x
60mm



PUNCH EFFECT

ERA LIGHT GREY



04 RANDOM PHASES



- | | |
|--|--|
| 
EASY
MAINTENANCE | 
CHEMICAL
RESISTANT |
| 
DIMENSIONAL
STABILITY | 
IMPACT
RESISTANCE |
| 
HIGH
STRENGTH | 
FIRE
RESISTANT |
| 
WATER
RESISTANT | 
HYGIENIC
SURFACE |





ERA LIGHT GREY

LEXINATON

60x
60mm



PUNCH EFFECT

LEXINATON BROWN




06 RANDOM PHASES



- 

EASY
MAINTENANCE
- 

CHEMICAL
RESISTANT
- 

DIMENSIONAL
STABILITY
- 

IMPACT
RESISTANCE
- 

HIGH
STRENGTH
- 

FIRE
RESISTANT
- 

WATER
RESISTANT
- 

HYGIENIC
SURFACE





LEXINATON BROWN

LEXINATON

60x
60mm



PUNCH EFFECT

LEXINATON CHOCO



06 RANDOM PHASES



- 

EASY
MAINTENANCE
- 

CHEMICAL
RESISTANT
- 

DIMENSIONAL
STABILITY
- 

IMPACT
RESISTANCE
- 

HIGH
STRENGTH
- 

FIRE
RESISTANT
- 

WATER
RESISTANT
- 

HYGIENIC
SURFACE





LEXINATON CHOCO

LEXINATON

60x
60mm



PUNCH EFFECT

LEXINATON CREMA



06 RANDOM PHASES



EASY
MAINTENANCE



CHEMICAL
RESISTANT



DIMENSIONAL
STABILITY



IMPACT
RESISTANCE



HIGH
STRENGTH



FIRE
RESISTANT



WATER
RESISTANT



HYGIENIC
SURFACE





LEXINATON CREMA

LEXINATON

60x
60mm



PUNCH EFFECT

LEXINATON GREY



06 RANDOM PHASES



EASY
MAINTENANCE



CHEMICAL
RESISTANT



DIMENSIONAL
STABILITY



IMPACT
RESISTANCE



HIGH
STRENGTH



FIRE
RESISTANT



WATER
RESISTANT



HYGIENIC
SURFACE





LEXINATON GREY

LEXINATON

60x
60mm



PUNCH EFFECT

LEXINATON GRIS



06 RANDOM PHASES



EASY
MAINTENANCE



CHEMICAL
RESISTANT



DIMENSIONAL
STABILITY



IMPACT
RESISTANCE



HIGH
STRENGTH



FIRE
RESISTANT



WATER
RESISTANT



HYGIENIC
SURFACE





LEXINATON GRIS

LEXINATON

60x
60mm



LEXINATON LIGHT

PUNCH EFFECT



06 RANDOM PHASES



EASY
MAINTENANCE



CHEMICAL
RESISTANT



DIMENSIONAL
STABILITY



IMPACT
RESISTANCE



HIGH
STRENGTH



FIRE
RESISTANT



WATER
RESISTANT



HYGIENIC
SURFACE





LEXINATON LIGHT

LEXINATON

60x
60mm



PUNCH EFFECT

LEXINATON YELOW



06 RANDOM PHASES



EASY
MAINTENANCE



CHEMICAL
RESISTANT



DIMENSIONAL
STABILITY



IMPACT
RESISTANCE



HIGH
STRENGTH



FIRE
RESISTANT



WATER
RESISTANT



HYGIENIC
SURFACE





LEXINATON YELOW


SIMENDE

60x
60mm



PUNCH EFFECT

SIMENDE BEIGE



06 RANDOM PHASES



EASY
MAINTENANCE



CHEMICAL
RESISTANT



DIMENSIONAL
STABILITY



IMPACT
RESISTANCE



HIGH
STRENGTH



FIRE
RESISTANT



WATER
RESISTANT



HYGIENIC
SURFACE

Slate
COLLECTION




SIMENDE BEIGE

SIMENDE

60x
60mm

PUNCH EFFECT

SIMENDE CREMA



06 RANDOM PHASES



EASY
MAINTENANCE



CHEMICAL
RESISTANT



DIMENSIONAL
STABILITY



IMPACT
RESISTANCE



HIGH
STRENGTH



FIRE
RESISTANT



WATER
RESISTANT



HYGIENIC
SURFACE

Slate
COLLECTION



SIMENDE CREMA


SIMENDE

60x
60mm



PUNCH EFFECT

SIMENDE DOVE



06 RANDOM PHASES



EASY
MAINTENANCE



CHEMICAL
RESISTANT



DIMENSIONAL
STABILITY



IMPACT
RESISTANCE



HIGH
STRENGTH



FIRE
RESISTANT



WATER
RESISTANT



HYGIENIC
SURFACE


Slate
COLLECTION



SIMENDE DOVE


SIMENDE

60x
60mm



PUNCH EFFECT

SIMENDE GRIS



06 RANDOM PHASES



EASY
MAINTENANCE



CHEMICAL
RESISTANT



DIMENSIONAL
STABILITY



IMPACT
RESISTANCE



HIGH
STRENGTH



FIRE
RESISTANT



WATER
RESISTANT



HYGIENIC
SURFACE

Slate
COLLECTION




SIMENDE GRIS

SIMENDE


60x
60mm

PUNCH EFFECT

SIMENDE WHITE



06 RANDOM PHASES






SIMENDE WHITE


SPAZIO

60x
60mm



PUNCH EFFECT

SPAZIO BIANCO



06 RANDOM PHASES



EASY
MAINTENANCE



CHEMICAL
RESISTANT



DIMENSIONAL
STABILITY



IMPACT
RESISTANCE



HIGH
STRENGTH



FIRE
RESISTANT



WATER
RESISTANT



HYGIENIC
SURFACE

Slate
COLLECTION



SPAZIO BIANCO


SPAZIO

60x
60mm



PUNCH EFFECT

SPAZIO BROWN



06 RANDOM PHASES



EASY
MAINTENANCE



CHEMICAL
RESISTANT



DIMENSIONAL
STABILITY



IMPACT
RESISTANCE



HIGH
STRENGTH



FIRE
RESISTANT



WATER
RESISTANT



HYGIENIC
SURFACE


Slate
COLLECTION



SPAZIO BROWN


SPAZIO

60x
60mm



PUNCH EFFECT

SPAZIO GREY



06 RANDOM PHASES






EASY
MAINTENANCE



CHEMICAL
RESISTANT



DIMENSIONAL
STABILITY



IMPACT
RESISTANCE



HIGH
STRENGTH



FIRE
RESISTANT



WATER
RESISTANT



HYGIENIC
SURFACE






SPAZIO GREY


SPAZIO

60x
60mm



PUNCH EFFECT

SPAZIO GRIS



06 RANDOM PHASES



EASY
MAINTENANCE



CHEMICAL
RESISTANT



DIMENSIONAL
STABILITY



IMPACT
RESISTANCE



HIGH
STRENGTH



FIRE
RESISTANT



WATER
RESISTANT



HYGIENIC
SURFACE

Slate
COLLECTION



SPAZIO GRIS


TAIKO

60x
60mm



PUNCH EFFECT

TAIKO CREMA



08 RANDOM PHASES



EASY
MAINTENANCE



CHEMICAL
RESISTANT



DIMENSIONAL
STABILITY



IMPACT
RESISTANCE



HIGH
STRENGTH



FIRE
RESISTANT



WATER
RESISTANT



HYGIENIC
SURFACE

Slate
COLLECTION



TAIKO CREMA

TAIKO

60x
60mm

PUNCH EFFECT



TAIKO DOVE



08 RANDOM PHASES



EASY
MAINTENANCE



CHEMICAL
RESISTANT



DIMENSIONAL
STABILITY



IMPACT
RESISTANCE



HIGH
STRENGTH



FIRE
RESISTANT



WATER
RESISTANT



HYGIENIC
SURFACE





TAIKO DOVE

TAIKO

60x
60mm

PUNCH EFFECT



TAIKO TAUPE



08 RANDOM PHASES



EASY
MAINTENANCE



CHEMICAL
RESISTANT



DIMENSIONAL
STABILITY



IMPACT
RESISTANCE



HIGH
STRENGTH



FIRE
RESISTANT



WATER
RESISTANT



HYGIENIC
SURFACE





TAIKO TAUPE


TRACIA

60x
60mm



PUNCH EFFECT

TRACIA BROWN



04 RANDOM PHASES



- 
EASY
MAINTENANCE
- 
CHEMICAL
RESISTANT
- 
DIMENSIONAL
STABILITY
- 
IMPACT
RESISTANCE
- 
HIGH
STRENGTH
- 
FIRE
RESISTANT
- 
WATER
RESISTANT
- 
HYGIENIC
SURFACE





TRACIA BROWN

TRACIA

60x
60mm



PUNCH EFFECT

TRACIA GREY



04 RANDOM PHASES



- 
EASY
MAINTENANCE
- 
CHEMICAL
RESISTANT
- 
DIMENSIONAL
STABILITY
- 
IMPACT
RESISTANCE
- 
HIGH
STRENGTH
- 
FIRE
RESISTANT
- 
WATER
RESISTANT
- 
HYGIENIC
SURFACE





TRACIA GREY

TECHNOLOGY & AFFILIATIONS

HLT

KEDA

vidres

MODENA

SYSTEM
Ceramics

OUR CERTIFICATE


**UK
CA**



CE



TILES INSTALLATION



Special Laying Instruction:

Tiles Spacers

We always recommend to use the Tile Spacer for laying of different tiles as per its type and size. Tile Spacer is specially designed to create a uniform gap between tiles, this results in proper alignment throughout the tiling area. It is available in different width sizes starting from 2mm width to 10 mm width.

Features and Benefits:

Spacers accommodate the movements due to thermal variations and different loads

When filled with the right grout material, they can efficiently reduce the free water flow / leakage through the joints and also make the joints anti - fungal and anti - bacterial

With spacers, we can create uniform designs and pattern

Improved aesthetics and dimensional stability to the entire tile/ stone assembly

It ensures longer life span of tile installation

TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO-13006/ EN14411 GROUP Bla	TILES VALUE	TEST METHOD
REGULATORY PROPERTIES			
1) Deviation In Length & Width	±0.50%	±0.10%	ISO-10545-2
2) Deviation In Thickness	+5.00%	±2.00%	ISO-10545-2
3) Straightness Of Sides	±0.50%	±0.10%	ISO-10545-2
4) Rectangularity	±0.50%	±0.10%	ISO-10545-2
5) Surface Flatness	±0.50%	±0.10%	ISO-10545-2
6) Color Differences	Unaltered	No Change	ISO-10545-16
7) Glossiness	As Per Manufacturer	Min. 70%	Glossometer
STRUCTURAL PROPERTIES			
1) Water Absorption	≤0.50%	<0.05%	ISO-10545-3
2) Apparent Density	>2.00 gm/cc	>2.28 gm/cc	DIN 51082
MASSIVE MECHANICAL PROPERTIES			
1) Flexural Modulus Of Rupture	Min. 35N/mm²	Min. 40N/mm²	ISO-10545-4
2) Flexural Breaking Strength	Min. 1300 N	Min. 2000 N	ISO-10545-4
3) Impact Resistance	As Per Manufacturer	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PROPERTIES			
1) Deep Abrasion Resistance	Max. 175mm³	Max. 132mm³	ISO-10545-6
2) Moh's Hardness	Min. 6	8*	EN101
THERMO HYGROMETRIC PROPERTIES			
1) Frost Resistance	No Damage	Frost Proof	ISO-10545-12
2) Thermal Shock Resistance	No Damage	No Damage	ISO-10545-9
3) Moisture Expansion	Nil	Nil	ISO-10545-10
4) Thermal Expansion	Max 9.0x106	Max 6.5x10 -	ISO-10545-8
CHEMICAL PROPERTIES			
1) Chemical Resistance	No Damage	No Damage	ISO-10545-13
2) Stain Resistance	Resistant	Resistant	ISO-10545-14
SAFETY PROPERTIES			
1) Slip Resistance(friction Co Efficient)	>0.40	>0.40	ISO-10545-17

PACKING DETAIL

Size	600x600mm
Thickness (approx.)	8 mm
Pieces / Box	4 pcs.
Area / Box	1.44 sq.mtr.
Wt./Box (approx.)	27 Kgs.





IMPERIAL CERAMIC
GUJARAT, INDIA.

info@imperialceramic.in

www.imperialceramic.com